CLAIMS

We claim:

- 1 **1** A system, comprising:
- a videoconferencing unit that creates data in a format appropriate for a real time
- 3 transport protocol; and
- a processor that receives the data and reassembles the data into a format
- 5 appropriate for standard media on computer systems.
- 1 2 The system of claim 1, wherein the data is compressed.
- 1 3 The system of claim 1, wherein the data is compressed with H.263 format.
- 1 4 The system of claim 1, wherein the reassembled data can be delivered as an e-
- 2 mail attachment.

din the time that the time

J

- 1 **5** The system of claim 1, wherein the reassembled data is stored on a server.
- 1 **6** A processor, comprising:
- 2 an input for receiving videoconferencing data in a format appropriate for a real
- 3 time transport protocol; and
- 4 an output for delivering data reassembled into a format appropriate for standard
- 5 media on computer systems.

1

14

should be included.

7

A method, comprising the steps of:

1 9 The method of claim 7, wherein the data is compressed.

- The method of claim 7, wherein the data is compressed with H.263 format.
- The method of claim 8, wherein the data is compressed with H.263 format.
- The method of claim 12, further comprising the step of creating data in a format
- appropriate for standard media on computer systems that includes an empty video
- frame command if it is determined that buffered video data should not be included.
- The method of claim 7, further comprising the steps of causing the reassembled
 - data to be stored on a server.
 - The method of claim 8, further comprising the steps of causing the reassembled
 - data to be stored on a server.
 - The method of claim 14, further comprising the step of creating an e-mail that
 - includes a hyperlink to the reassembled data stored on the server.
 - The method of claim 15, further comprising the step of creating an e-mail that
 - includes a hyperlink to the reassembled data stored on the server.

- 1 18 The method of claim 7, further comprising the step of creating an e-mail that
- 2 includes the reassembled data as an attachment.
- 1 19 The method of claim 8, further comprising the step of creating an e-mail that
- 2 includes the reassembled data as an attachment.
- 1 **20** The method of claim 7, wherein the data received in a format appropriate for a
- 2 real time transport protocol is generated in response to a failed attempt at a
- 3 videoconference.
- 1 21 The method of claim 8, wherein the data received in a format appropriate for a
- 2 real time transport protocol is generated in response to a failed attempt at a
- 3 videoconference.